SMARTFOX
Next Generation

Pro

Innovation
Technology

Due to our many years of experience in the field of renewable energies, we are aware of the enormous potential of energy efficiency in systems. Therefore, we develop the best possible solution for our customers using the latest technologies available to us, combined with expertise and creativity.

Customer satisfaction and responsible resource management are at the core of our philosophy. Through the use of systems with the highest possible energy efficiency and sustainability, we aim to contribute to future generations and technologies.

Hermann Buchsteiner
Managing Director

Matthias Fischbacher
Managing Director

ÖSTERREICH • Market leader in AUSTRIA •

#ENERGYMANAGEMENT

SMARTFOX
Pro 3

The energy-efficient system solution for a sustainable future. Through the further development of our SMARTFOX Pro Energy Management system, we offer our customers numerous possibilities to make the best possible use of the surplus energy from their photovoltaic system.

Product information:

- 5x universal inputs (S0, DI, Temp.) Various temperature sensors (e.g., PT100, PT1000), S0 inputs, etc.
- 2x RS485 interface for increased flexibility
- New software solutions with a revised configuration concept
- Intuitive priority assignment
- Master and slave (RS485)
- High-resolution monitoring and free My SMARTFOX app.

COMING SOON

AOUT | RS485/CAN1 | RS485/CAN2 | XIN1 | XIN2 | XIN3 | XIN4 | XIN5 | ETHERNET

DAfi PRESENTS
SMARTFOX Pro3

SMARTFOX

©DAfi GmbH

ENTER

L1 | L2 | L3 | N | PE

K | K | R1 | R2 | R3 | R4

#POWERTOHEAT

SMARTFOX
Pro Heater 6K

The all-in-one solution for hot water preparation. Our SMARTFOX Pro Heater is the perfect addition to your SMARTFOX Energy Manager. It stores PV surplus in 15 stages (220W - 6kW) as hot water, completely without the use of a power controller!

Product information:

- 15 stages from 220W to 6kW
- No power controller required
- Integrated temperature sensor
- Control thermostat (10°C to 80°C) & safety thermostat
- Fixed temperature of 60°C (= emergency function)
- Standalone operation possible
- Ideal addition to continuous-load devices (batteries, electric charging stations, etc.)
- Integrated power measurement
- Compatible with all SMARTFOX EMS (Energy Management system) via RS485 (4-20mA in preparation)
- Monitoring & remote control via app & web portal

FROM QUARTER 4/2023

#WALLBOX

SMARTFOX
Pro Charger 2

Full charging power & an appealing design. The development of our new wallbox is a perfect combination of technical product development and international design know-how. We are ready to rush in a new era of mobility, together with our customers along that way.

Product information:

- IP54 splash-proof, suitable for indoor and outdoor usage
- Wall mounting & high-quality pedestal solution
- Charging power of 11kW, optional 22kW
- Electric current of 16A, voltage of 400V | optional 32A
- 1-phase to 3-phase switching (automatically)
- Type 2 charging cable, 7m length
- DC protection 6mA
- Integrated meter
- Calibration law compliant
- Vehicle to grid communication interface (ISO 15118-20)
- Access protection RFID
- LED status indicator, display
- Internet connectivity via LAN & Wi-Fi, RS485
- Protocols OCPP, Modbus TCP, Modbus RTU, EEBus prepared

COMING SOON

Take control
of your home.

Get in touch with our sales team! **E-Mail: verkauf@smartfox.at**

Austria

Headquarters

DAfi GmbH
Niedernfritzerstraße 120
A-5531 Eben im Pongau

Tel +43 (0)720 302 555
Mail office@smartfox.at
Web www.smartfox.at

Company location Radstadt:

DAfi GmbH
Salzburger Straße 14
A-5550 Radstadt

Tel +43 (0)720 302 555
Mail verkauf@smartfox.at
Web www.smartfox.at

Logistic center Austria:

DAfi GmbH
Niedernfritzerstraße 118
A-5531 Eben im Pongau

Tel +43 (0)720 302 555
Mail logistik@smartfox.at
Web www.smartfox.at

Germany

Company location Cologne:

SMARTFOX GmbH
Wankelstraße 40
D-50996 Köln

Tel +49 (0)2236 48095-00
Mail sales@smartfox.de
Web www.smartfox.de

Smartfox_Energiemanagement   Smartfox-Energiemanagement   SMARTFOX Energiemanagement